



Linghunt Engineering, Inc. is proud to introduce the "NEW" B3020 Polespear! After years of development and improved manufacturing techniques, along with the experience of producing pole spears for many years, we are ready to release a new high quality product at affordable cost with a 5 Year warranty to original buyer.

FEATURES:

- Water Seal and Thread Locker Connection. It's designed to be tight so poles will not unscrew in use so **SNUG UP THE CONNECTION TIGHT!** REMEMBER - **NEVER USE TEFLON TAPE ON THREADS for Pole to Pole connection!** The tight thread tolerance will not allow for a tape sealer too.
- 12" knurl grip includes 5 finger rings for added hand grip
- Stow clip and side hole (when your pole is not in use, clip it on your float and keep the tip out of harm's way).
- Made from 5/8" O.D. thick walled aluminum tubing with a black anodized finish and Custom CNC produced Stainless Steel connectors.
- Tip Thread: The common 6mm-1 male thread which covers 80-90% of tips on the market. Other thread options available upon request.
- Available in 6' length (3 pc) along with other length options.





Water Tight and Threadlocking Connection.

Alignment Spud prevents cross threading and adds strength to the joint as it is tightly toleranced for the inside of the tubing.

12 inch long Diamond knurl grip with finger rings to help you hold your spear in loaded position with less effort.



Stainless Stow clip used with radial hole on tip side of spear.
(When your pole is not in use, clip it on your float and keep the tip out of harm's way).



All Stainless Steel connections

The Look of Connected Poles when assembled.



There is a lifetime 10% discount on all LEI manufactured spear tips for ALL Original Purchasers of the next generation Pole Spears B3020 and newer models. New tip designs will be available in May2013 as they are produced and tested. The NEW $\frac{1}{2}$ " OD Pole spear will be available in Late June of 2013.